




## Tropicana White

**Size:** 800X800 mm | **Design:** Marble | **Finish:** Glossy Finish in Vitrified DCH Body | **Series:** Double charge



Front View



Scale View

### Packaging Details

Size	No. of tiles in box	Coverege Area	
		sq/mtr	sq/ft
800X800 mm	3.0	1.92	20.67

### Technical Specification

Sr.No.	Properties	CEN Code	Standard Test Method	ISO 13006:2018 Specification Bla	Nitco's Value	
1	Deviation in Length %	EN 98	ISO 10545 - 2	± 0.3 % (Max ± 1.0 mm)	± 0.1%	
2	Deviation in Thickness %	EN 98	ISO 10545 - 2	± 5.0 % ( Max ± 0.5 mm )	± 5.0%	
3	Straightness of Edge %	EN 98	ISO 10545 - 2	± 0.3 % ( Max ± 0.8mm )	± 0.10%	
4	Diagonal Variation % (Rectangularity)	EN 98	ISO 10545 - 2	± 0.3 % ( Max ± 1.5 mm )	± 0.10%	
5	Surface flatness	EN 98	ISO 10545 - 2	± 0.4 % ( Max ± 1.8 mm )	± 0.15%	
	a. Centre curvature					± 0.20%
	b. Edge curvature					± 0.15%
6	c. Warpage				± 0.15%	
6	Surface Quality	EN 98	ISO 10545 - 2	Min 95% free from any visible defects	Min 95% free from any visible defects	
7	Water Absorption % By WT.	EN 99	ISO 10545 - 3	< 0.5	< 0.08	
8	Breaking Strength, N	EN 100	ISO 10545-4	Min. 1300 N	Min. 1300 N	
9	Modulus of Rupture in N / mm <sup>2</sup>	EN 100	ISO 10545 - 4	> 35	> 35	
10	Thermal Shock Resistance	EN 104	ISO 10545 - 9	No Visible Defects	Resistant	
11	Chemical Resistance (Except HF Acid)	EN 106	ISO 10545 - 13	No Visible Effect	No Visible Effect	
12	Resistance To Stain		ISO 10545 - 14	Manufacture To State Class	Resistant	
13	MOH Scratch Hardness	EN 101		Min 5	5	
14	Gloss Value			Min 75	> 80	

WANT TO GET IN TOUCH WITH US?

Toll Free: 1800 266 4826 | Email: [marketing@nitco.in](mailto:marketing@nitco.in)